Inav (The Log File Navigator) 0.11.2 cheat sheet

Global

Ctrl + C	If the focused line is from a file
	connected to an open pipe (the
	"□" icon will be next to the file
	name), a SIGINT will be sent to
	the child process. Otherwise,
	Inav will quickly exit. If Inav
	seems to be stuck in a loop,
	pressing Ctrl + C three times will
	trigger an abort exit.

Spatial Navigation

Most of these hotkeys should be available in all views.

Space or Page Down	Down a page
Ctrl + D	Down by half a page
B or Backspace or Page Up	Up a page
Ctrl + U	Up by half a page
J or Down arrow	Down a line
K or Up arrow	Up a line
H or Left arrow	Left half a page. In the log view, pressing left while at the start of the message text will reveal the shortened source file name for each line. Pressing again will reveal the full path.
Shift + H or Shift + Left arrow	Left ten columns
L or Right arrow	Right half a page
Shift + L or Shift + Right arrow	Right ten columns
Home or G or End	Top of the view
E or Shift + E	Next/previous error
W or Shift + W	Next/previous warning
N or Shift + N	Next/previous search hit
> or <	Next/previous search hit (horizontal)
F or Shift + F	Next/previous file
U or Shift + U	Next/previous bookmark
O or Shift + O	Forward/backward through log messages with a matching "opid" field

S or Shift + S	Next/previous slow down in the
	log message rate
{ or }	Previous/next location in history

Chronological Navigation

These hotkeys are only functional on views that are time-based, like the log view or the histogram view.

D or Shift + D	Forward/backward 24 hours
1 or Shift + 1	(to 6) Next/previous n'th ten minute of the hour
7 or 8	Previous/next minute
0 or Shift + 0	Next/previous day
R or Shift + R	Forward/backward by the relative time that was last used with the go to command

Breadcrumb Navigation

The following shortcuts are related to the breadcrumb bar that is below the top status bar.

•	Focus on the breadcrumb bar
Enter	If the bar is currently focused, accept the selected value and drop focus
Esc	Drop focus on the breadcrumb bar
Left arrow	Select the crumb to the left. If the first crumb is selected, the selection will wrap around to the last crumb
Right arrow	Accept the current value, which might mean navigating to the value in the view, then selecting the crumb to the right
Ctrl + A	Select the first crumb
Ctrl + E	Select the last crumb
Down arrow	Select the next value in the crumb dropdown
Up arrow	Select the previous value in the crumb dropdown
Home	Select the first value in the crumb dropdown
End	Select the last value in the crumb dropdown

While a crumb is selected, you can perform a fuzzy

search on the possible values by typing in the value you are interested in

Bookmarks

М	Mark/unmark the top line or focused line when in cursor mode
Shift + M	Mark/unmark the range of lines from the last marked to the top
Shift + J	Mark/unmark the next line after the previously marked
Shift + K	Mark/unmark the previous line
С	Copy marked lines to the clipboard
Shift + C	Clear marked lines

Display

?	View/leave builtin help
Q	Return to the previous view/quit
Shift + Q	Return to the previous view/quit while matching the top times of the two views
A	Restore the view that was previously popped with 'q/Q'
Shift + A	Restore the view that was previously popped with 'q/Q' and match the top times of the views
Shift + P	Switch to/from the pretty-printed view of the displayed log or text files
Shift + T	Display the elapsed time from a bookmark to a given line. In the TEXT view, this only works for content that was captured from stdin or a :sh command.
Т	Switch to/from the text file view
l or Shift + I	Switch to/from the histogram view
V	Switch to/from the SQL result view
Shift + V	Switch to/from the SQL result view and move to the corresponding in the log_line column

Ρ	Toggle the display of the log parser results
Tab	In the log/text views, focus on the configuration panel for editing filters and examining the list of loaded files. In the SQL result view, cycle through columns to display as bar graphs
Ctrl + L	Switch to lo-fi mode. The displayed log lines will be dumped to the terminal without any decorations so they can be copied easily.
Ctrl + W	Toggle word-wrap.
Ctrl + P	Show/hide the data preview panel that may be opened when entering commands or SQL queries.
Ctrl + F	Toggle the enabled/disabled state of all filters in the current view.
X	Toggle the hiding of log message fields. The hidden fields will be replaced with three bullets and highlighted in yellow.
Ctrl + X	Toggle the cursor mode. Allows moving the focused line instead of keeping it fixed at the top of the current screen.
=	Pause/unpause loading of new file data.

Session

Ctrl + R	Reset the current session state.
	The session state includes
	things like filters, bookmarks,
	and hidden fields.

Query Prompts

1	Search for lines matching a regular expression
;	Open the SQLite Interface to execute SQL statements/queries
:	Execute an internal command, see Commands for more information

	Execute an Inav script located in
	a format directory
Ctrl +]	Abort the prompt

Last modification: 23.10.2023 17:53:34

More information: defkey.com/az/the-log-filenavigator-0-11-2-shortcuts

Customize this PDF...