

General application

| Ctrl + O | Open a project |
|------------------|--|
| Ctrl + N | Create a project |
| Ctrl + S | Save the project |
| Ctrl + M | Open a new map |
| F1 | Open the help system to the default home page or context-sensitive help for a tool |
| Ctrl + F1 | Show or hide the ribbon |
| F12 | Open the Keyboard Shortcuts dialog box |
| Ctrl + Z | Undo a change |
| Ctrl + Y | Redo a change |
| Ctrl + C | Copy the selected item to the clipboard |
| Ctrl + X | Cut the selected item |
| Ctrl + V | Paste the selected item from the clipboard |
| Del | Delete the selected item |
| Ctrl + Alt + P | Copy the path of the selected item to the clipboard |
| Ctrl + P | Open the Print pane to print a map or layout |
| Ctrl + E | Open the Export pane to export a map, layout, or report |
| Alt + L | Open the Sign-In Status menu |
| Alt + W | Open the Notifications pane |
| Alt + Q | Search for a command |
| Ctrl + Alt + M | Open Diagnostic Monitor |
| Ctrl + G | Group the selected elements |
| Ctrl + Shift + G | Ungroup the selected group |

Common keyboard shortcuts

Left arrow / Right

arrow

| Alt or F10 | Enable access keys and show KeyTips on the ribbon |
|---|--|
| Note: Press the key or keys indicated by the KeyTip to select tabs and run commands | |
| Alt + - | Access options to float, dock, or |

the active pane

Move from one tab to another in

| Tab or Shift + Tab | Move from one command to the next on a ribbon tab. Move from one item to the next in a pane, view, dialog box, or page |
|--------------------------|--|
| Up arrow / Down arrow | Move among elements in a list |
| Alt + Down arrow | Open a drop-down menu or list |
| Esc | Close a drop-down menu or list |
| Enter or Space | Run a command or open a ribbon gallery or dialog box launcher |
| Shift + Win | Open a context menu (pop-up menu) for a selected item |
| Alt + F7 | Browse available panes and change the active pane |
| Ctrl + Tab | Browse available views and change the active view |
| Ctrl + F6 | Switch the active view to the next available view |
| Ctrl + F4 | Close the active view |

Animation

| Ctrl + Right arrow | Move to the next keyframe |
|--------------------|---|
| Ctrl + Left arrow | Move to the previous keyframe |
| Space | Play or pause the steps |
| Ctrl + Insert | Append a new keyframe to the end of the animation after the last keyframe |
| Shift + Insert | Update Keyframe or set a keyframe. If a keyframe exists at the current time, it is updated. Otherwise, a new keyframe is inserted at the current time between two keyframes |
| Ctrl + Shift + Del | Delete the current keyframe |

Catalog

The following table lists keyboard shortcuts for the Catalog pane and catalog views. A green check mark means that the shortcut is supported in the indicated context. Except as noted, these keyboard shortcuts don't work in browse dialog boxes

| [A - Z] | Move to and select the next item |
|---------|----------------------------------|
| | in the content list that begins |

| | with that letter |
|-------------------|--|
| Alt + B | Open catalog browsing options |
| Alt + F3 | Switch between the Catalog pane and a catalog view |
| Alt + F6 | Put focus on the contents list |
| Alt + F4 | Go to the Contents pane of a catalog view |
| Alt + M | View metadata |
| Ctrl + Shift + M | Edit metadata |
| Ctrl + Shift + C | Add a folder connection |
| Ctrl + Shift + F | Make a new folder |
| Ctrl + Shift + D | Make a new file geodatabase |
| Ctrl + Shift + I | Make a new mobile geodatabase |
| Ctrl + Shift + E | Make a new database connection |
| Ctrl + Shift + B | Make a new toolbox (.atbx) |
| Ctrl + Shift + L | Make a new layout |
| Ctrl + Shift + T | Open a table |
| Ctrl + Shift + N | Open the Project context menu |
| F5 | Refresh the contents of the selected item |
| F2 | Rename the selected item |
| Shift + F2 | Alias the selected folder connection or change its alias |
| Alt + F8 | Click the Filter button and open its menu |
| F6 | Click the Sort button and open its menu |
| Alt + D | Show or hide the details panel |
| Ctrl + F | Go to the search box |
| Alt + P | Go to the Project tab or node |
| Alt + O | Go to the Portal tab or node |
| Alt + Z | Go to the Computer tab or node |
| Alt + F | Go to the Favorites tab or node |
| Ctrl + L | Go to the location bar |
| Alt + Left arrow | Revisit the last location in backward order |
| Alt + Right arrow | Revisit the last location in forward order |
| Alt + Up arrow | Go up one level in the item hierarchy |

| Ctrl + Left click + Move the mouse | Copy the selected item to a target location |
|---------------------------------------|---|
| Shift + Left click + Move the mouse | Move the selected item to a target location |

Contents pane

| Esc | Return keyboard focus to the map from the Contents pane |
|------------------|---|
| - or Left arrow | Collapse selected items |
| + or Right arrow | Expand selected items |

Ctrl and click an expansion control; Ctrl+plus or minus; or Ctrl+left or Right: Expand or collapse all items at the selected hierarchical level

Ctrl+Shift and click an expansion control; Ctrl+Shift+plus or minus; or Ctrl+Shift+left or Right: Expand or collapse all items at all hierarchical levels

| Space | Turn on or off selected layers |
|--------------|----------------------------------|
| Ctrl + Space | Turn on or off all layers when a |
| | single layer is selected in the |
| | Contents pane |

If the selected layer is part of a group layer or a composite layer, all the members of that layer will be turned on or off. If multiple layers are selected, Ctrl + Spacebar works the same as Spacebar and turns only the selected layers on or off

| the selected layers on or on | |
|---|--|
| Ctrl | (hold and click a check box) Turn on or off all layers at the selected hierarchical level |
| Ctrl + Shift | (hold and click a check box) Turn on or off all layers at all hierarchical levels |
| Alt | (hold and click a check box) Turn off all layers except the one whose check box you clicked at the current hierarchical level |
| Shift + Alt | (hold and click a check box) Turn off all layers except the one whose check box you clicked at all hierarchical levels, including group layer contents |
| F2 | Rename the selected item |
| Enter | Open the Properties dialog box for a selected item |
| Ctrl + Left click or Shift + Left click or | Select multiple layers in the Contents pane |

Ctrl + Up arrow /

| Down arrow or Shift + Up arrow / Down arrow | |
|---|--|
| Ctrl + L | When a layout is the active view, lock or unlock the item selected in the Contents pane |
| Ctrl + Shift + L | When a layout is the active view, lock or unlock all items at the selected hierarchical level in the Contents pane |
| Alt | (hold and click a layer's name) Zoom to the extent of that layer |
| Del | Delete the item selected in the Contents pane |
| Ctrl + T | Open the table of the layer or table selected in the Contents pane |

Data Engineering view

| Ctrl + Shift + D | Open a Data Engineering view from a selected layer |
|------------------|---|
| Ctrl + Alt + F5 | Calculate statistics for fields in the statistics table |
| Ctrl + Alt + C | Show all columns in the statistics table, if any are hidden |
| Ctrl + Alt + A | Open the attribute table |
| Ctrl + Alt + F | Open the fields view of the attribute table |
| Ctrl + Alt + N | Turn the display of numeric fields on and off in the statistics table |
| Ctrl + Alt + T | Turn the display of text fields on and off in the statistics table |
| Ctrl + Alt + D | Turn the display of date fields on and off in the statistics table |
| Ctrl + Shift + A | Switch between displaying field names and aliases in the fields panel |

Editing

| Ctrl + Shift + M | Open the Modify Features pane |
|------------------|-------------------------------|
| Ctrl + Shift + C | Open the Create Features pane |
| Ctrl + Shift + T | Open the Attibutes pane |
| C + Left click + | Pan |

| V . I -# -1:-1 | 7 |
|----------------------------------|---|
| X + Left click + Move the mouse | Zoom out |
| Z + Left click + | Zoom in or out |
| Move the mouse | |
| Т | Show vertices |
| Space | Snapping |
| Esc or Ctrl + Del | Cancel edits |
| F2 | Finish |
| Undo and redo: | |
| Ctrl + Z | Undo |
| Ctrl + Y | Redo |
| Selection tools: | |
| Shift | (hold and select) Add the |
| | selected feature |
| Ctrl | (hold and select) Remove the selected feature |
| Ctrl + Shift | (hold and select) Select only this |
| | feature |
| Tables: | |
| Ctrl + C | Copy the selection |
| Ctrl + V | Paste the selection |
| F2 | Edit the cell |
| Esc | Cancel the action |
| Text formatting tags | 3: |
| Ctrl + U | Apply underline |
| Ctrl + Shift + A | Apply all caps |
| Ctrl + Shift + K | Apply lowercase |
| Ctrl + Shift + + | Apply superscript |
| Ctrl += | Apply subscript |
| Edit annotation: | |
| Ctrl + Left click + | Change the Follow Feature |
| Move the mouse | distance |
| 0 | Follow Feature Options |
| Move: | |
| Ctrl + Left click | Relocate the anchor |
| Ctrl + Left click + | Move the anchor |
| Move the mouse | |
| Rotate: | |
| Α | Angle |
| Ctrl + Left click | Relocate the anchor |
| Ctrl + Left click + | Move the anchor |

| Move the mouse | |
|---------------------------|---|
| S | Access the secondary anchor |
| Scale: | · |
| F | Apply a scale factor |
| Ctrl + Left click | Relocate the anchor |
| Ctrl + Left click + | Move the anchor |
| Move the mouse | |
| S | Access the secondary anchor |
| Edit vertices: | |
| Т | (and hover) Show vertices within |
| Shift + Loft oliok | the snapping tolerance |
| Shift + Left click | (click vertices) Select multiple vertices |
| Shift + Left click | (click segments) Select all |
| | vertices between the clicked |
| | segments |
| Shift + Ctrl + Left click | (click a selected vertex) Unselect a vertex |
| A + Left click | Add a vertex Add Vertex |
| D + Left click | Delete a vertex Delete Vertex |
| H + Left click + | Edit the elevation |
| Move the mouse | Edit tile elevation |
| Ctrl + Left click + | Move a Bézier curve |
| Move the mouse | |
| Ctrl + Left click + | Move a Bézier handle |
| Move the mouse | |
| Ctrl + H | Move the z-value to the pointer |
| | lly when stereoscopic mode is |
| enabled. Ctrl + G | Move the pointer 7 value |
| | Move the pointer z-value |
| enabled. | lly when stereoscopic mode is |
| Geometry propertie | es table: |
| Down arrow | Advance to the next vertex |
| Up arrow | Return to the previous vertex |
| Shift + Left click | Select inclusive rows |
| Ctrl + Left click | Select multiple rows |
| Shift + Down | Add the next vertex |
| arrow | |
| Shift + Up arrow | Add the previous vertex |
| Ctrl + U | Switch the selection |
| Ctrl + A | Select all vertices |
| | |

| Create a circle: | |
|--|---|
| F6 | Specify absolute X,Y,Z |
| R | Specify a radius |
| Create an ellipse: | |
| F6 | Specify absolute X,Y,Z |
| Α | Specify the direction |
| Shift + Left click + Move the mouse | Make the geometry a circle |
| Create a rectangle: | |
| Tab | Turn Horizontal/Grid Aligned Horizontal/Grid Aligned on or off |
| Α | Specify a direction |
| L | Specify a length |
| W | Specify a width |
| F6 | Specify absolute X,Y,Z |
| Shift + Left click + Move the mouse | Make the shape a square |
| Shift | Turn Square on or off |
| Create 3D geometry: | |
| А | Switch between drawing lines and two-point arcs |
| D | Enter a distance value |
| Ctrl + Left click | Move the 3D handle to the current pointer location |
| Elevation tools: | |
| S | Suspend the sketch plane |
| Topology error insp | ector: |
| Up arrow / Down arrow | Move the pointer |
| Ctrl + Shift + = | Zoom To |
| D | Show the topology rule |
| F | Select the features |
| X | Mark the error as an exception Mark as Exception |
| E | Clear the exception Clear Exception |
| R | Rules |
| М | Map Extent |
| V | Validate |
| Ctrl + U | Switch selected rows |
| Ctrl + Shift + A | Clear |
| | |

| Ctrl + 8 | Flash (Right-click the error row number and flash the shape of the error feature in the map) |
|----------------------|--|
| Ctrl + = | Zoom To |
| Ctrl + Space | Select/Unselect |
| R | Rule Description |
| Direction Direction: | |
| Α | Open the Direction dialog box |
| Tab | Step through intersections |
| Direction Distance: | |
| Α | Open the Direction dialog box |
| D | Open the Distance dialog box |
| Tab | Step through intersections |
| Distance Distance: | |
| D | Open the Distance dialog box |
| Tab | Step through intersections |

Exploratory analysis

Line of sight with observer point selected:

| Line of signit with observer point selected. | | |
|--|--|--|
| Α | Rotate counterclockwise | |
| D | Rotate clockwise | |
| Ctrl + Up arrow | Move the observer away from the scene camera | |
| Ctrl + Down arrow | Move the observer toward the scene camera | |
| Ctrl + Right arrow | Move the observer right, perpendicular to the scene camera heading | |
| Ctrl + Left arrow | Move the observer left, perpendicular to the scene camera heading | |
| Ctrl + Shift + Up arrow | Move the observer and its targets away from the scene camera | |
| Ctrl + Shift + | | |
| Down arrow | Move the observer and its targets toward the scene camera | |
| _ | | |
| Down arrow Ctrl + Shift + Right | targets toward the scene camera Move the observer and its targets right, perpendicular to the | |

| Ctrl + J | Decrease the observer elevation |
|------------------------|---|
| С | Turn the Explore tool on and off to navigate |
| Del | Delete the observer and all associated targets |
| Line of sight with tar | rget selected: |
| Ctrl + Up arrow | Move the target away from the camera |
| Ctrl + Down arrow | Move the target toward the camera |
| Ctrl + Right arrow | Move the target right, perpendicular to the scene camera heading |
| Ctrl + Left arrow | Move the target left, perpendicular to the scene camera heading |
| Ctrl + U | Increase the target elevation |
| Ctrl + J | Decrease the target elevation |
| С | Turn the Explore tool Explore Tool on and off to navigate |
| Del | Delete the selected target |
| Selected view dome | e: |
| Ctrl + Up arrow | Move the view dome away from the camera |
| Ctrl + Down arrow | Move the view dome toward the camera |
| Ctrl + Right arrow | Move the view dome right, perpendicular to the scene camera heading |
| Ctrl + Left arrow | Move the view dome left, perpendicular to the scene camera heading |
| Ctrl + U | Increase the view dome elevation |
| Ctrl + J | Decrease the view dome elevation |
| С | Turn the Explore tool on and off to navigate |
| Del | Delete the selected view dome |
| Selected viewshed: | |
| W | Tilt the observer up |
| S | Tilt the observer down |
| Α | Rotate the observer heading left |
| D | Rotate the observer heading |

| | right |
|--|---|
| Ctrl + Up arrow | Move the observer forward |
| Ctrl + Down arrow | Move the observer backward |
| Ctrl + Right arrow | Move the viewshed right, perpendicular to the observer heading |
| Ctrl + Left arrow | Move the viewshed left, perpendicular to the observer heading |
| Ctrl + U | Increase the observer elevation |
| Ctrl + J | Decrease the observer elevation |
| С | Turn the Explore tool on and off to navigate |
| Del | Delete the selected viewshed |
| Selected slice: | |
| | |
| W | Rotate the plane heading forward |
| S | |
| | forward Rotate the plane heading |
| S | forward Rotate the plane heading backward |
| S | forward Rotate the plane heading backward Rotate the plane heading left |
| s A D | forward Rotate the plane heading backward Rotate the plane heading left Rotate the plane heading right |
| S A D Ctrl + Up arrow | forward Rotate the plane heading backward Rotate the plane heading left Rotate the plane heading right Move the plane forward |
| S A D Ctrl + Up arrow Ctrl + Down arrow | forward Rotate the plane heading backward Rotate the plane heading left Rotate the plane heading right Move the plane forward Move the plane backward |
| S A D Ctrl + Up arrow Ctrl + Down arrow Ctrl + Right arrow | forward Rotate the plane heading backward Rotate the plane heading left Rotate the plane heading right Move the plane forward Move the plane backward Move the slice right |
| S A D Ctrl + Up arrow Ctrl + Down arrow Ctrl + Right arrow Ctrl + Left arrow | forward Rotate the plane heading backward Rotate the plane heading left Rotate the plane heading right Move the plane forward Move the plane backward Move the slice right Move the slice left |
| S A D Ctrl + Up arrow Ctrl + Down arrow Ctrl + Right arrow Ctrl + Left arrow Ctrl + U | forward Rotate the plane heading backward Rotate the plane heading left Rotate the plane heading right Move the plane forward Move the plane backward Move the slice right Move the slice left Increase the plane elevation |

Layouts

| Ctrl + A | Select all the elements on the page |
|----------------------------------|---|
| Ctrl + Backspace | Deselect all the elements on the page |
| Shift + Up arrow / Down arrow | Continuously select elements. Elements are deselected if you switch arrow keys while pressing Shift |
| Del | Delete the selected elements |
| Ctrl + C | Copy the selected elements to the clipboard |

| Ctrl + X | Cut the selected elements |
|---------------------------------------|--|
| Ctrl + V | Paste the contents of the clipboard to the page |
| Ctrl + Left click + Move the mouse | Immediately copy the selected elements to the layout without a paste command |
| Ctrl + G | Group the selected elements |
| Ctrl + Shift + G | Ungroup the selected group |
| Space | Switch the visibility of the selected elements |
| Shift + Arrow keys | Move selected elements 5 points |
| Ctrl + Arrow keys | Move selected elements .5 points |
| Arrow keys | Pan in the direction of the arrow key |
| Insert | Zoom to the full page |
| - | Zoom out |
| = | Zoom in |
| Shift + Right click | Zoom box |
| С | Override the active tool with the Explore tool |
| Q | Roam |
| X | Zoom out incrementally |
| Z | Zoom continuously |
| , | Go to the previous extent |
| | Go to the next extent |
| 1 | Zoom and pan on the layout while a map frame is active |

Map navigation

Regardless of the active tool:

| Insert | Zoom to full extent |
|----------------|---|
| - or Num - | Zoom out |
| = or Num + | Zoom in |
| Ctrl + Alt + S | Activate the Select tool |
| Ctrl + Alt + C | Activate the Explore tool |
| С | Override the active tool with the Explore tool |
| С | Press and hold C to use the Explore tool when you are in the middle of another task using another tool. |

| Left click + Move the mouse | Left button drag—Pan |
|------------------------------------|---|
| Left click | Left button click—Pop-up |
| Wheel up and wheel down | Wheel button scroll—Zoom |
| Middle click + Move the mouse | Wheel button click and drag—Tilt and rotate in 3D |
| Right click + Move the mouse | Right button drag—Continuous zoom in and out |
| C + Shift or C + Ctrl | (while using another tool) Center and zoom in, or center, respectively. |
| Alt + Left click | (click layer(s) in Contents pane) Zoom to the layer's extent |
| Z | Zoom continuously |
| X + Left click | Zoom out incrementally |
| X + Left click + Move the mouse | Zoom out by drawing a rectangle |
| V + Left click + Move the mouse | Rotate around a point |
| V + Arrow keys | Rotate around the center of the view |
| 0 | Orient the view north |
| B + Left click + Move the mouse | Look around a 3D scene |
| B + Arrow keys | Look around from the current position |
| , | Go to the previous extent |
| | Go to the next extent |
| Q | Roam |

Press Q while moving the pointer.

In 2D, the view is panned in the direction indicated. The farther the pointer is from the center of the view, the faster panning occurs.

In 3D, the camera's attitude and altitude are maintained as the view is panned in the direction indicated by the pointer, away from the center of the view.

| Shift + Q | Decrease the roam speed |
|--------------------|---|
| Ctrl + Q | Increase the roam speed |
| Arrow keys | Move the view left, right, up, or down |
| Shift + Arrow keys | Make smaller movements when moving the view using the arrow |

| | keys |
|--|---|
| U | Move up, away from the view |
| J | Move down, closer to the view |
| Page Up | Jump one screen size up |
| Page Down | Jump one screen size down |
| Home | Jump one screen size to the left |
| End | Jump one screen size to the right |
| Esc | Cancel map drawing |
| F5 | Refresh the active view |
| Ctrl + F5 | Clear the cache and refresh the active view |
| Ctrl + F | Open the Locate pane |
| With the Explore too | ol activated: |
| Р | In a 3D scene, look straight down (perpendicular) |
| N | Adjust the view to point north |
| Shift + Left click + Move the mouse | Zoom in by drawing a rectangle |
| Shift + Left click | Center and zoom in to the pointer location |
| Ctrl + Left click | Center the view to look at the pointer location |
| W | In a 3D scene, tilt the camera up |
| S | In a 3D scene, tilt the camera down |
| Α | Rotate the camera counterclockwise |
| D | Rotate the camera clockwise |
| In first-person navig | ation mode: |
| Up arrow / Down arrow | Move the camera forward or backward from the center of the view |
| Left arrow / Right arrow | Move the camera left or right from the center of the view |
| U | Increase the elevation of the camera |
| J | Decrease the elevation of the camera |
| W | Change the view direction of the scene by tilting the camera up |
| S | Change the view direction of the scene by tilting the camera down |

| А | Rotate the view counterclockwise |
|----------------------|---|
| D | Rotate the view clockwise |
| With selection tools | activated: |
| Υ | Switch between the Intersect and Within selection modes |
| R | Specify a radius when selecting by circle |

ModelBuilder

Clipboard:

| • | |
|--------------------|--|
| Ctrl + C | Copy the selected model elements |
| Ctrl + V | Paste model elements |
| Ctrl + X | Cut the selected model elements |
| Model: | |
| Ctrl + N | Create a new model when model view is active |
| Ctrl + S | Save the active model |
| Ctrl + Shift + S | Save the active model with a different name and location |
| Shift + F | Export model to Python file |
| Shift + W | Export model to Python window |
| Shift + G | Export model to graphic |
| Shift + P | Open model properties |
| Shift + E | Open model environment setting |
| Shift + T | Open model in Geoprocessing pane |
| Shift + R | Open model report |
| Ctrl + F | Open Find and Replace in model report |
| View: | |
| Ctrl + Shift + A | Auto layout |
| Ctrl + Shift + F | Fit to window |
| Ctrl + + | Zoom in on the model view |
| Ctrl + - | Zoom out on the model view |
| Mode: | |
| Ctrl + A | Select all model elements |
| Shift + Arrow keys | Pan in a model |
| Validate and Run: | |
| Ctrl + Shift + V | Validate all data elements and |

| | parameter values in a model |
|----------------------------|---|
| Ctrl + Shift + R | Run. If no model element is selected, run all ready-to-run processes in a model. Otherwise, run the selected tools |
| Insert: | |
| Ctrl + E | Create a variable |
| Ctrl + L | Create label. If no model element is selected, a free-floating label is created. Otherwise, labels are attached to the selected model elements |
| Group: | |
| Ctrl + G | Group. If no element is selected, an empty group is added. Otherwise, a group is added containing the selected elements |
| Ctrl + Shift + G | Ungroup the selected group. Remove all elements from the selected group |
| Ctrl + Shift + L | Automatically set the layout for the group elements when a group is selected |
| Ctrl + Right arrow | Expand the selected group in a model |
| Ctrl + Left arrow | Collapse the selected group in a model |
| Ctrl + Shift + Right arrow | Expand all groups in a model |
| Ctrl + Shift + Left arrow | Collapse all groups in a model |
| Messages: | |
| Shift + O | Open the message window. The messages are only available after the model is run in the current session |
| Model element: | |
| Ctrl + O | Open the selected model element |
| Ctrl + R | Rename the selected model element |
| Ctrl + P | Turn the Parameter setting on and off for the selected model elements |
| Ctrl + D | Check Add To Display for the |

| | selected model elements |
|------------------|---|
| Ctrl + Shift + D | Uncheck Add To Display for the selected model elements |
| Ctrl + I | Check Intermediate Data for the selected model elements |
| Ctrl + Shift + I | Uncheck Intermediate Data for the selected model elements |

Neighborhood Explorer

| Shift + S | Select a focal feature |
|------------------|--|
| Shift + C | Clear the selected focal feature and neighborhood |
| Shift + = | Zoom to the selected neighborhood |
| Ctrl + Shift + E | Open the editing toolbar |
| Ctrl + Shift + N | Open the Neighborhood pane |
| Shift + R | Remove neighbors from a focal feature neighborhood |
| Shift + A | Add neighbors to a focal feature neighborhood |
| Shift + T | Alter spatial weights in a focal feature neighborhood |
| Shift + Z | Undo a change |
| Shift + Y | Redo a change |
| F2 | Commit changes to the current focal feature neighborhood and complete the active operation |
| Ctrl + Del | Deactivate the current interactive editing tool and cancel any unfinished edits |

Python window

| Ctrl + Wheel up and wheel down | Increase or decrease the font size |
|--------------------------------|------------------------------------|
| Ctrl + = | Increase the font size |
| Ctrl + - | Decrease the font size |

Range

| Ctrl + Shift + Space | Play or Pause |
|----------------------------|---------------|
| Ctrl + Shift + Up arrow | Next step |
| Ctrl + Shift + | Previous step |

Down arrow

Raster and imagery

Stereo map navigation:

| Ctrl + Alt + S | Activate the Select tool |
|--|--|
| Ctrl + Alt + C | Activate the Explore tool |
| Left click and Left click + Move the mouse | Pan the map |
| Shift | Accelerate change in x,y |
| Caps Lock | Decelerate change in x,y |
| Q | Roam |
| + or Ctrl + Wheel up | Zoom in |
| - or Ctrl + Wheel down | Zoom out |
| Z | (and move pointer) Change the z-value |
| Z + Wheel up and wheel down | Change the z-value |
| Shift + Z | (and move pointer horizontally) Accelerate change in z |
| Shift + Wheel up and wheel down | Accelerate change in z |
| | |

Alternatively, to change the z-value 15 times faster, press Shift+Z while moving the pointer either left or right.

| Caps Lock + Z | (and move pointer horizontally) Decelerate change in z |
|-----------------------------|---|
| Caps Lock + Wheel up and | Decelerate change in z |
| wheel down | |

Alternatively, to change the z-value five times slower, press Caps Lock and then press Z while moving the pointer either left or right.

| В | Turn surface snapping on or of | f |
|---|---------------------------------|---|
| ט | ruiti suriace shapping on or or | |

This feature requires the images to have statistics calculated and pyramids built with either bilinear or cubic resampling.

| Т | Turn terrain following on or off |
|----|----------------------------------|
| Н | Change selected vertex height |
| F8 | Switch between roaming pointer |
| | mode and fixed pointer mode |

| F9 | Hide feature layers on the map |
|----|---|
| , | Temporarily turn off fixed pointer mode |

This shortcut applies to United States standard keyboards. Other types of keyboards may have a different character on the key. For detailed information, verify which key the VK_OEM_3 (Microsoft virtual key code) is mapped to for your keyboard.

| keyboard. | |
|------------------------------------|--|
| Ctrl + Left arrow / Right arrow | Adjust the x-parallax |
| V | (and move pointer left or right) Adjust the x-parallax |
| Ctrl + Up arrow / Down arrow | Adjust the y-parallax |
| Ctrl + F7 | Reset to the default parallax |
| М | Activate Auto Load |
| Е | Pan to the center of the stereo pair |
| Ctrl + Shift + M | Open the Modify Features pane |
| Ctrl + Shift + C | Open the Create Features pane |
| Ctrl + Shift + S | Open the Stereo Model Selector pane |
| 0 | Open the Overview window |
| W | Open the Magnifier window |
| Georeferencing: | |
| С | Override the active tool with the Explore tool |
| Q | Roam |
| X + Left click + Move the mouse | Zoom out |
| Z + Left click + Move the mouse | Zoom the view in or out |
| L | Switch the visibility of the georeferencing layer on and off |
| Н | Switch the visibility of the control point ScreenTip on and off |
| A | Specify the value for Move, Scale, or Rotate |
| Esc | Cancel a control point while creating a control point pair |
| Space | Temporarily disable vector snapping (if snapping has been turned on) |

| F5 | Refresh the control point table | W | Window Boxing |
|---------------------|--|---------------------|---|
| Ortho mapping (GC | CP Manager): | Shift + S | Record Segments |
| F5 | Refresh the GCP list in GCP | Ctrl + C | Copy Frame to Clipboard |
| | Manager | Ctrl + Alt + C | Explore Video Tool |
| Ctrl + D | Turn Dynamic Range Adjustment on and off | Full Motion Metada | ta: |
| Ctrl + G | Turn GCP display on and off | Alt + Z | Zoom to frame |
| Ctrl + F | Zoom to full extent | F | Enable or disable Automatic Follow |
| Full Motion Video p | layer: | Z | Zoom the video pane to the map |
| Shift + E | Save video frames as images in | | location of the video |
| | a directory or in the project | V | Display VMTI |
| _ | geodatabase | Shift + M | Metadata to Features |
| Р | Export the current video frame and map to a PowerPoint | Shift + Ctrl + M | Metadata to CSV |
| | presentation | Shift + V | VMTI to Features |
| Note: The system n | nay not respond immediately. | Ctrl + Space | Buffer Playback |
| | progress indicator or double- | М | Display Metadata |
| pressing the shortc | ut can cause unexpected results. | Pixel Editor: | |
| Alt + Z | Zoom the video pane to the map location of the video | L | Turn visibility of the operational layer on and off |
| F | Enable or disable Automatic Follow | F5 | Refresh Edits Log |
| N | Display an arrow pointing north | Sharing: | |
| | on the video of the active video | Ctrl + P | Open the Print pane |
| | pane | Ctrl + E | Open the Export pane |
| D | Display features from the map on the video pane | Tables: Ctrl + T | Open the attribute table for the |
| 1 | Apply invert pixel color | Out 1 | selected layer or stand-alone |
| | transformation on the active video pane | | table from the Contents pane |
| Z | Zoom to video | Ctrl + Double click | (doubleclick a layer or table name) Open the attribute table |
| V | Display VMTI | | for the selected layer or stand- |
| Shift + M | Metadata to Features | | alone table from the Contents |
| Shift + Ctrl + M | Metadata to CSV | | pane |
| Shift + V | VMTI to Features | Ctrl + Shift + T | Open the attribute table for the selected feature class or stand- |
| R | Record Video | | alone table from the Catalog |
| S | Export Segment | | pane or view |
| E | Export Frame | Ctrl + F4 | Close the active table |
| С | Chip Frame | Ctrl + A | Select all records |
| Ctrl + Space | Buffer Playback | Shift + Left click | (click upper left cell) Select all |
| M | Display Metadata | | records |
| В | Create Bookmark | Ctrl + Space | Select or deselect the active row |
| A | Display Annotations | Ctrl + Enter | Move to the next record and select it exclusively |

If more than one row is selected, the move occurs from the row with the active cell. This is particularly useful when working sequentially through a table, reviewing or editing each record, and looking at the feature it represents on the map

| Ctrl + U | Switch the selection |
|---|--|
| Ctrl + Left click | (click upper left cell) Switch the selection |
| Shift + Up arrow / Down arrow | Continuously select records |
| Records are deselected if you switch arrow keys while | |

Records are deselected if you switch arrow keys while pressing Shift

| pressing Shift | |
|------------------------|---|
| Ctrl + Shift + A | Clear the selection |
| Shift + Enter | Go to the previous row in the same column and select it |
| Ctrl + Shift + = | Zoom the view to the selected features |
| Ctrl + 8 | Flash the active feature in the view |
| Ctrl + N | Pan the view to the active feature and flash it |
| Ctrl + = | Zoom the view to the active feature and flash it |
| Double click | (doubleclick the gray cell to the left of a record) Zoom to and select the feature |
| Ctrl + Double click | (doubleclick the gray cell to the left of a record) Pan to and select the feature |
| Ctrl + P or Ctrl + I | Open the pop-up for the active feature |
| Tab | Go to the next column |
| If at the end of a rov | w, go to the first cell in the next row |
| Shift + Tab | Go to the previous column |
| If at the end of a row | w, go to the last cell in the previous |
| Enter | Go to the next row in the same |

| TOW | |
|------------------------------|---------------------------------------|
| Enter | Go to the next row in the same column |
| Home or Ctrl + Left arrow | Go to the first cell in a row |
| End or Ctrl + Right arrow | Go to the last cell in a row |
| Ctrl + Home | Go to the first row, first cell |
| Ctrl + End | Go to the last row, last cell |

| Arrow keys | Go in the direction of the arrow key |
|--------------------------------|---|
| Ctrl + Up arrow | Go to the first row in the same column |
| Ctrl + Down arrow | Go to the last row in the same column |
| Ctrl + Wheel up and wheel down | Increase or decrease the scale of the table |
| Ctrl + G | Open the Go to row number control |
| Ctrl + 0 | Reset the scale of the table back to 100 percent |
| Shift + Wheel up | Scroll the table window |
| and wheel down | horizontally |
| and wheel down Ctrl + F | horizontally Display the Find and Replace commands |
| | Display the Find and Replace |
| Ctrl + F | Display the Find and Replace commands |

This action works on a single field only. To hide multiple field columns in a table at once, press the Shift key while clicking to select multiple fields. Then, right-click a field name and click Hide Field

To show all fields again without opening the field's view, click the menu button at the top of the table view and click Show All Fields. Any hidden fields turn back on and become available in the table view and on other dialog boxes

Select individual, separate fields

Ctrl + Left click

Enter

| Shift + Left click | Select all fields between the first and second click |
|-------------------------------|---|
| Ctrl + Shift + N | Switch between showing field names and aliases |
| Editing tables: | |
| Ctrl + C or Ctrl + Insert | Copy the value in a cell onto the clipboard |
| Ctrl + Shift + C | Copy the selected records onto the clipboard |
| Ctrl + V or Shift + Insert | Paste the contents of the clipboard into a cell or range of cells |
| F2 | Edit the contents of a cell |

Commit the current edit

| Esc | Cancel the edit in the cell and restore the original value |
|---------------|--|
| Shift + Enter | Insert a new line or multiple lines while editing |
| Ctrl + Enter | Open a hyperlink |

Tasks

| Alt + X | Run a step |
|---------|---------------------------|
| Alt + C | Continue to the next step |
| Alt + S | Skip a step |

Time

| Ctrl + Space | Play or Pause |
|----------------------------|---------------|
| Ctrl + Shift + Right arrow | Step Forward |
| Ctrl + Shift + Left arrow | Step Back |

Source: ArcGIS Pro documentation

Last modification: 25/01/2024 15.13.03

More information: defkey.com/da/arcgis-pro-3-

shortcuts

Customize this PDF...