



Mutt 2.2.10 cheat sheet

Generic Menu

Shift + L	Move to the bottom of the page
:	Enter a muttrc command
Q	Exit this menu
Home or =	Move to the first entry
]	Scroll down 1/2 page
[Scroll up 1/2 page
?	This screen
1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9	Jump to an index number
End or *	Move to the last entry
Shift + M	Move to the middle of the page
Down arrow or J	Move to the next entry
>	Scroll down one line
Page Down or Right or Z	Move to the next page
Up arrow or K	Move to the previous entry
<	Scroll up one line
Left or Page Up or Z	Move to the previous page
Ctrl + Shift + L	Clear and redraw the screen
/	Search for a regular expression
N	Search for next match
Search	for next match in opposite direction
Esc + /	Search backwards for a regular expression
Enter or Num Enter or Enter	Select the current entry
!	Invoke a command in a subshell
T	Tag the current entry
;	Apply next function to tagged messages
Shift + H	Move to the top of the page

Index menu

Shift + A	Manage autocrypt accounts
Shift + B	List and select backgrounded compose sessions
B	Remail a message to another

	user
#	Break the thread in two
Y	Select a new mailbox from the browser
.	List mailboxes with new mail
C	Open a different folder
Esc + C	Open a different folder in read only mode
Esc + Shift + P	Check for classic PGP
W	Clear a status flag from a message
Esc + Shift + V	Collapse/uncollapse all threads
Esc	v Collapse/uncollapse current thread
Shift + C	Copy a message to a file/mailbox
A	Create an alias from a message sender
Esc + Shift + C	Make decoded (text/plain) copy
Esc + S	Make decoded copy (text/plain) and delete
D	Delete the current entry
Shift + D	Delete messages matching a pattern
Esc + D	Delete all messages in subthread
Ctrl + Shift + D	Delete all messages in thread
@	Display full address of sender
Enter or Num Enter or Enter or Space	Display a message
H	Display message and toggle header weeding
E	Edit the raw message
Shift + Y	Add, change, or delete a message's label
Ctrl + Shift + E	Edit attachment content type
X	Exit this menu
Ctrl + Shift + K	Extract supported public keys
Shift + G	Retrieve mail from pop server
Shift + F	Toggle a message's 'important' flag
Ctrl + Shift + F	Wipe passphrase(s) from

	memory
F	Forward a message with comments
G	Reply to all recipients
L	Show only messages matching a pattern
&	Link tagged message to the current one
Esc + Shift + L	Perform mailing list action
L	Reply to specified mailing list
M	Compose a new mail message
Esc + K	Mail a PGP public key
~	Create a hotkey macro for the current message
Shift + J	Move to the next entry
Tab	Jump to the next new or unread message
Esc + N	Jump to the next subthread
Ctrl + Shift + N	Jump to the next thread
Down arrow or J	Move to the next undeleted message
P	Jump to parent message in thread
	Pipe message/attachment to a shell command
K	Move to the previous entry
Esc + Tab	Jump to the previous new or unread message
Esc + P	Jump to previous subthread
Ctrl + Shift + P	Jump to previous thread
Up arrow or K	Move to the previous undeleted message
P	Print the current entry
Shift + Q	Query external program for addresses
Q	Save changes to mailbox and quit
Esc + R	Mark the current subthread as read
Ctrl + Shift + R	Mark the current thread as read
Shift + R	Recall a postponed message
R	Reply to a message

Esc + E Use the current message as a template for a new one

S Save message/attachment to a mailbox/file

W Set a status flag on a message

Esc + L Show currently active limit pattern

Shift + V Show the mutt version number and date

O Sort messages

Shift + O Sort messages in reverse order

\$ Save changes to mailbox

Shift + T Tag messages matching a pattern

Esc + T Tag the current thread

Shift + N Toggle a message's 'new' flag

% Toggle whether the mailbox will be rewritten

U Undelete the current entry

U Undelete messages matching a pattern

Esc + U Undelete all messages in subthread

Ctrl + Shift + U Undelete all messages in thread

Ctrl + Shift + T Untag messages matching a pattern

V Show mime attachments

Pager menu

Shift + B List and select backgrounded compose sessions

End Jump to the bottom of the message

B Remail a message to another user

Break the thread in two

Y Select a new mailbox from the browser

. List mailboxes with new mail

C Open a different folder

Esc + C Open a different folder in read only mode

Esc + P Check for classic PGP

Shift + W	Clear a status flag from a message
Shift + C	Copy a message to a file/mailbox
A	Create an alias from a message sender
Esc + Shift + C	Make decoded (text/plain) copy
Esc + S	Make decoded copy (text/plain) and delete
D	Delete the current entry
Esc + D	Delete all messages in subthread
Ctrl + Shift + D	Delete all messages in thread
@	Display full address of sender
H	Display message and toggle header weeding
E	Edit the raw message
Shift + Y	Add, change, or delete a message's label
Ctrl + Shift + E	Edit attachment content type
:	Enter a muttrc command
I or Q or X	Exit this menu
Ctrl + Shift + K	Extract supported public keys
Shift + F	Toggle a message's 'important' flag
Ctrl + Shift + F	Wipe passphrase(s) from memory
F	Forward a message with comments
G	Reply to all recipients
?	This screen
1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9	Jump to an index number
&	Link tagged message to the current one
Esc + Shift + L	Perform mailing list action
Shift + L	Reply to specified mailing list
M	Compose a new mail message
Esc + K	Mail a PGP public key
Shift + N	Toggle a message's 'new' flag
Shift + J	Move to the next entry

Enter or Num	Scroll down one line
Enter or Enter	
Tab	Jump to the next new or unread message
Page Down or Space	Move to the next page
Esc + N	Jump to the next subthread
Ctrl + Shift + N	Jump to the next thread
Down arrow or Right arrow or J	Move to the next undeleted message
Shift + P	Jump to parent message in thread
	Pipe message/attachment to a shell command
Shift + K	Move to the previous entry
Backspace	Scroll up one line
Page Up or -	Move to the previous page
Esc + P	Jump to previous subthread
Ctrl + Shift + P	Jump to previous thread
Left arrow or Up arrow or K	Move to the previous undeleted message
P	Print the current entry
Q	Save changes to mailbox and quit
Esc + R	Mark the current subthread as read
Ctrl + Shift + R	Mark the current thread as read
Shift + R	Recall a postponed message
Ctrl + Shift + L	Clear and redraw the screen
R	Reply to a message
Esc + E	Use the current message as a template for a new one
S	Save message/attachment to a mailbox/file
/	Search for a regular expression
N	Search for next match
Esc + /	Search backwards for a regular expression
\ then \	Toggle search pattern coloring
W	Set a status flag on a message
!	Invoke a command in a subshell
Shift + V	Show the mutt version number

and date

Shift + H	Skip beyond headers
Shift + S	Skip beyond quoted text
O	Sort messages
Shift + O	Sort messages in reverse order
\$	Save changes to mailbox
T	Tag the current entry
Shift + T	Toggle display of quoted text
%	Toggle whether the mailbox will be rewritten
Home or ^	Jump to the top of the message
U	Undelete the current entry
Esc + U	Undelete all messages in subthread
Ctrl + Shift + U	Undelete all messages in thread
V	Show mime attachments

Alias menu

D	Delete the current entry
Space	Tag the current entry
U	Undelete the current entry

Query menu

A	Create an alias from a message sender
M	Compose a new mail message
Shift + Q	Query external program for addresses
Shift + A	Append new query results to current results

Attachment menu

B	Remail a message to another user
Esc + Shift + P	Check for classic PGP
V	Toggle display of subparts
D	Delete the current entry
H	Display message and toggle header weeding
Ctrl + Shift + E	Edit attachment content type
Ctrl + Shift + K	Extract supported public keys

Ctrl + Shift + F Wipe passphrase(s) from memory

F	Forward a message with comments
G	Reply to all recipients
Ctrl + Shift + L	Reply to specified mailing list
	Pipe message/attachment to a shell command
P	Print the current entry
R	Reply to a message
Esc + E	Use the current message as a template for a new one
S	Save message/attachment to a mailbox/file
U	Undelete the current entry
Enter or Num Enter or Enter	View attachment using mailcap entry if necessary
M	Force viewing of attachment using mailcap
Shift + T	View attachment as text

Compose menu

A	Attach file(s) to this message
Esc + K	Attach a PGP public key
Shift + A	Attach message(s) to this message
O	Show autocrypt compose menu options
Shift + C	Save message/attachment to a mailbox/file
Shift + D	Delete the current entry
H	Display message and toggle header weeding
B	Edit the bcc list
C	Edit the cc list
D	Edit attachment description
Ctrl + Shift + E	Edit attachment transfer-encoding
F	Enter a file to save a copy of this message in
Ctrl + Shift + X then E	Edit the file to be attached
Esc + F	Edit the from field

Shift + E	Edit the message with headers
E	Edit the message
M	Edit attachment using mailcap entry
R	Edit the reply-to field
S	Edit the subject of this message
T	Edit the to list
Ctrl + Shift + T	Edit attachment content type
Shift + F	Filter attachment through a shell command
Ctrl + Shift + F	Wipe passphrase(s) from memory
Shift + G	Get a temporary copy of an attachment
I	Run ispell on the message
Shift + M	Send the message through a mixmaster remailer chain
N	Compose new attachment using mailcap entry
P	Show PGP options
	Pipe message/attachment to a shell command
Shift + P	Save this message to send later
L	Print the current entry
Ctrl + Shift + O	Send attachment with a different name
Shift + R	Rename/move an attached file
Y	Send the message
Shift + S	Show S/Mime options
Shift + T	Tag the current entry
Ctrl + Shift + D	Toggle disposition between inline/attachment
U	Toggle whether to delete file after sending it
Shift + U	Update an attachment's encoding info
V	View multipart/alternative
Shift + V	View multipart/alternative using mailcap
Esc + V	View multipart/alternative as text
Enter or Num	View attachment using mailcap
Enter or Enter	entry if necessary

W Write the message to a folder

Postpone menu

D	Delete the current entry
U	Undelete the current entry

Browser menu

.	List mailboxes with new mail
C	Change directories
Shift + C	Create a new mailbox (Imap only)
D	Delete the current mailbox (Imap only)
@	Display the currently selected file's name
M	Enter a file mask
R	Rename the current mailbox (Imap only)
Shift + N	Select a new file in this directory
O	Sort messages
Shift + O	Sort messages in reverse order
S	Subscribe to current mailbox (imap only)
Tab	Toggle whether to browse mailboxes or all files
Shift + T	Toggle view all/subscribed mailboxes (imap only)
U	Unsubscribe from current mailbox (imap only)
Space	View file

PGP menu

C	Verify a PGP public key
%	View the key's user id

S-Mime menu

C	Verify a PGP public key
%	View the key's user id

Mixmaster menu

Enter or Num	Accept the chain constructed
--------------	------------------------------

Enter or Enter	
A	Append a remailer to the chain
Right arrow or L	Select the next element of the chain
Left arrow or H	Select the previous element of the chain
D	Delete a remailer from the chain
I	Insert a remailer into the chain
Space	Select the current entry

Editor menu

Backspace or Del	Delete the char in front of the cursor
Left arrow or Ctrl + Shift + B	Move the cursor one character to the left
Esc + B	Move the cursor to the beginning of the word
Home or Ctrl + Shift + A	Jump to the beginning of the line
Space	Cycle among incoming mailboxes
Esc + C	Capitalize the word
Tab	Complete filename or alias
Ctrl + Shift + T	Complete address with query
Ctrl + Shift + D	Delete the char under the cursor
Esc + L	Convert the word to lower case
End or Ctrl + Shift + E	Jump to the end of the line
Right arrow or Ctrl + Shift + F	Move the cursor one character to the right
Esc + F	Move the cursor to the end of the word
Down arrow or Ctrl + Shift + N	Scroll down through the history list
Ctrl + Shift + R	Search through the history list
Up arrow or Ctrl + Shift + P	Scroll up through the history list
Ctrl + Shift + K	Delete chars from cursor to end of line
Esc + D	Delete chars from the cursor to the end of the word
Ctrl + Shift + U	Delete all chars on the line
Ctrl + Shift + W	Delete the word in front of the

cursor

Ctrl + Shift + V	Quote the next typed key
Esc + U	Convert the word to upper case
C	Create a new autocrypt account
Shift + D	Delete the current account
A	Toggle the current account active/inactive
P	Toggle the current account prefer-encrypt flag
A	Retrieve list archive information
H	Retrieve list help
O	Contact list owner
P	Post to mailing list
S	Subscribe to mailing list
U	Unsubscribe from mailing list

Last modification: 26/7/2023 21:27:38

More information: defkey.com/es/mutt-email-client-2-2-shortcuts

[Customize this PDF...](#)