



# ArcGIS Pro 3.2 cheat sheet

## General application

Ctrl + O	Open a project
Ctrl + N	Create a project
Ctrl + S	Save the project
Ctrl + M	Open a new map
F1	Open the help system to the default home page or context-sensitive help for a tool
Ctrl + F1	Show or hide the ribbon
F12	Open the Keyboard Shortcuts dialog box
Ctrl + Z	Undo a change
Ctrl + Y	Redo a change
Ctrl + C	Copy the selected item to the clipboard
Ctrl + X	Cut the selected item
Ctrl + V	Paste the selected item from the clipboard
Del	Delete the selected item
Ctrl + Alt + P	Copy the path of the selected item to the clipboard
Ctrl + P	Open the Print pane to print a map or layout
Ctrl + E	Open the Export pane to export a map, layout, or report
Alt + L	Open the Sign-In Status menu
Alt + W	Open the Notifications pane
Alt + Q	Search for a command
Ctrl + Alt + M	Open Diagnostic Monitor
Ctrl + G	Group the selected elements
Ctrl + Shift + G	Ungroup the selected group

## Common keyboard shortcuts

Alt or F10	Enable access keys and show KeyTips on the ribbon
------------	---

Note: Press the key or keys indicated by the KeyTip to select tabs and run commands

Alt + -	Access options to float, dock, or close the active view or pane
Left arrow / Right arrow	Move from one tab to another in the active pane

Tab or Shift + Tab	Move from one command to the next on a ribbon tab. Move from one item to the next in a pane, view, dialog box, or page
Up arrow / Down arrow	Move among elements in a list
Alt + Down arrow	Open a drop-down menu or list
Esc	Close a drop-down menu or list
Enter or Space	Run a command or open a ribbon gallery or dialog box launcher
Shift + Win	Open a context menu (pop-up menu) for a selected item
Alt + F7	Browse available panes and change the active pane
Ctrl + Tab	Browse available views and change the active view
Ctrl + F6	Switch the active view to the next available view
Ctrl + F4	Close the active view

## Animation

Ctrl + Right arrow	Move to the next keyframe
Ctrl + Left arrow	Move to the previous keyframe
Space	Play or pause the steps
Ctrl + Insert	Append a new keyframe to the end of the animation after the last keyframe
Shift + Insert	Update Keyframe or set a keyframe. If a keyframe exists at the current time, it is updated. Otherwise, a new keyframe is inserted at the current time between two keyframes
Ctrl + Shift + Del	Delete the current keyframe

## Catalog

The following table lists keyboard shortcuts for the Catalog pane and catalog views. A green check mark means that the shortcut is supported in the indicated context. Except as noted, these keyboard shortcuts don't work in browse dialog boxes

[A - Z]	Move to and select the next item in the content list that begins
---------	--

	with that letter
Alt + B	Open catalog browsing options
Alt + F3	Switch between the Catalog pane and a catalog view
Alt + F6	Put focus on the contents list
Alt + F4	Go to the Contents pane of a catalog view
Alt + M	View metadata
Ctrl + Shift + M	Edit metadata
Ctrl + Shift + C	Add a folder connection
Ctrl + Shift + F	Make a new folder
Ctrl + Shift + D	Make a new file geodatabase
Ctrl + Shift + I	Make a new mobile geodatabase
Ctrl + Shift + E	Make a new database connection
Ctrl + Shift + B	Make a new toolbox (.atbx)
Ctrl + Shift + L	Make a new layout
Ctrl + Shift + T	Open a table
Ctrl + Shift + N	Open the Project context menu
F5	Refresh the contents of the selected item
F2	Rename the selected item
Shift + F2	Alias the selected folder connection or change its alias
Alt + F8	Click the Filter button and open its menu
F6	Click the Sort button and open its menu
Alt + D	Show or hide the details panel
Ctrl + F	Go to the search box
Alt + P	Go to the Project tab or node
Alt + O	Go to the Portal tab or node
Alt + Z	Go to the Computer tab or node
Alt + F	Go to the Favorites tab or node
Ctrl + L	Go to the location bar
Alt + Left arrow	Revisit the last location in backward order
Alt + Right arrow	Revisit the last location in forward order
Alt + Up arrow	Go up one level in the item hierarchy

Ctrl + Left click + Move the mouse      Copy the selected item to a target location

Shift + Left click + Move the mouse      Move the selected item to a target location

## Contents pane

Esc      Return keyboard focus to the map from the Contents pane

- or Left arrow      Collapse selected items

+ or Right arrow      Expand selected items

Ctrl and click an expansion control; Ctrl+plus or minus; or Ctrl+left or Right: Expand or collapse all items at the selected hierarchical level

Ctrl+Shift and click an expansion control; Ctrl+Shift+plus or minus; or Ctrl+Shift+left or Right: Expand or collapse all items at all hierarchical levels

Space      Turn on or off selected layers

Ctrl + Space      Turn on or off all layers when a single layer is selected in the Contents pane

If the selected layer is part of a group layer or a composite layer, all the members of that layer will be turned on or off. If multiple layers are selected, Ctrl + Spacebar works the same as Spacebar and turns only the selected layers on or off

Ctrl      (hold and click a check box) Turn on or off all layers at the selected hierarchical level

Ctrl + Shift      (hold and click a check box) Turn on or off all layers at all hierarchical levels

Alt      (hold and click a check box) Turn off all layers except the one whose check box you clicked at the current hierarchical level

Shift + Alt      (hold and click a check box) Turn off all layers except the one whose check box you clicked at all hierarchical levels, including group layer contents

F2      Rename the selected item

Enter      Open the Properties dialog box for a selected item

Ctrl + Left click or Shift + Left click or Ctrl + Up arrow /      Select multiple layers in the Contents pane

Down arrow or Shift + Up arrow / Down arrow	
Ctrl + L	When a layout is the active view, lock or unlock the item selected in the Contents pane
Ctrl + Shift + L	When a layout is the active view, lock or unlock all items at the selected hierarchical level in the Contents pane
Alt	(hold and click a layer's name) Zoom to the extent of that layer
Del	Delete the item selected in the Contents pane
Ctrl + T	Open the table of the layer or table selected in the Contents pane

## Data Engineering view

Ctrl + Shift + D	Open a Data Engineering view from a selected layer
Ctrl + Alt + F5	Calculate statistics for fields in the statistics table
Ctrl + Alt + C	Show all columns in the statistics table, if any are hidden
Ctrl + Alt + A	Open the attribute table
Ctrl + Alt + F	Open the fields view of the attribute table
Ctrl + Alt + N	Turn the display of numeric fields on and off in the statistics table
Ctrl + Alt + T	Turn the display of text fields on and off in the statistics table
Ctrl + Alt + D	Turn the display of date fields on and off in the statistics table
Ctrl + Shift + A	Switch between displaying field names and aliases in the fields panel

## Editing

Ctrl + Shift + M	Open the Modify Features pane
Ctrl + Shift + C	Open the Create Features pane
Ctrl + Shift + T	Open the Attributes pane
C + Left click + Move the mouse	Pan

X + Left click + Move the mouse	Zoom out
Z + Left click + Move the mouse	Zoom in or out
T	Show vertices
Space	Snapping
Esc or Ctrl + Del	Cancel edits
F2	Finish
Undo and redo:	
Ctrl + Z	Undo
Ctrl + Y	Redo
Selection tools:	
Shift	(hold and select) Add the selected feature
Ctrl	(hold and select) Remove the selected feature
Ctrl + Shift	(hold and select) Select only this feature
Tables:	
Ctrl + C	Copy the selection
Ctrl + V	Paste the selection
F2	Edit the cell
Esc	Cancel the action
Text formatting tags:	
Ctrl + U	Apply underline
Ctrl + Shift + A	Apply all caps
Ctrl + Shift + K	Apply lowercase
Ctrl + Shift + +	Apply superscript
Ctrl + =	Apply subscript
Edit annotation:	
Ctrl + Left click + Move the mouse	Change the Follow Feature distance
O	Follow Feature Options
Move:	
Ctrl + Left click	Relocate the anchor
Ctrl + Left click + Move the mouse	Move the anchor
Rotate:	
A	Angle
Ctrl + Left click	Relocate the anchor
Ctrl + Left click +	Move the anchor

Move the mouse	
S	Access the secondary anchor
Scale:	
F	Apply a scale factor
Ctrl + Left click	Relocate the anchor
Ctrl + Left click + Move the mouse	Move the anchor
S	Access the secondary anchor
Edit vertices:	
T	(and hover) Show vertices within the snapping tolerance
Shift + Left click	(click vertices) Select multiple vertices
Shift + Left click	(click segments) Select all vertices between the clicked segments
Shift + Ctrl + Left click	(click a selected vertex) Unselect a vertex
A + Left click	Add a vertex Add Vertex
D + Left click	Delete a vertex Delete Vertex
H + Left click + Move the mouse	Edit the elevation
Ctrl + Left click + Move the mouse	Move a Bézier curve
Ctrl + Left click + Move the mouse	Move a Bézier handle
Ctrl + H	Move the z-value to the pointer
This is available only when stereoscopic mode is enabled.	
Ctrl + G	Move the pointer z-value
This is available only when stereoscopic mode is enabled.	
Geometry properties table:	
Down arrow	Advance to the next vertex
Up arrow	Return to the previous vertex
Shift + Left click	Select inclusive rows
Ctrl + Left click	Select multiple rows
Shift + Down arrow	Add the next vertex
Shift + Up arrow	Add the previous vertex
Ctrl + U	Switch the selection
Ctrl + A	Select all vertices

Ctrl + Space	Select or deselect the row
Tab	Advance to the next field
Ctrl + Enter	Apply the edit and go to the next row
Shift + Enter	Apply the edit and go to the previous row
Create annotation:	
Ctrl + W	Find text
N	Find the next text
F6	Specify absolute X,Y,Z
Tab	Switch sides and Flip annotation
O	Use the Follow Feature options
Ctrl + Left click + Move the mouse	Change the Follow Feature distance
Create point features:	
F6	Specify absolute X,Y,Z
F6 or F6	Specify absolute X,Y,Z
A	Specify the direction
D	Specify the distance
G	Specify the direction and distance
F	Specify deflection
F7	Specify segment deflection
P	Make the line parallel
E	Make the line perpendicular
Esc or Ctrl + Del	Cancel the edits
F3	Square and finish the feature
F4 or Shift + Double click	Finish the current part
Space	Turn snapping on and off
Create arc segments:	
R	Specify a radius
R or R	Specify a radius
Create by tracing:	
O	View the options
Tab	Set a negative offset
Ctrl or Left click + Move the mouse	Trace selected features
Create by streaming:	
O	View the options
F8	Start or stop streaming

Create a circle:

F6	Specify absolute X,Y,Z
R	Specify a radius

Create an ellipse:

F6	Specify absolute X,Y,Z
A	Specify the direction
Shift + Left click + Move the mouse	Make the geometry a circle

Create a rectangle:

Tab	Turn Horizontal/Grid Aligned Horizontal/Grid Aligned on or off
A	Specify a direction
L	Specify a length
W	Specify a width
F6	Specify absolute X,Y,Z
Shift + Left click + Move the mouse	Make the shape a square
Shift	Turn Square on or off

Create 3D geometry:

A	Switch between drawing lines and two-point arcs
D	Enter a distance value
Ctrl + Left click	Move the 3D handle to the current pointer location

Elevation tools:

S	Suspend the sketch plane
---	--------------------------

Topology error inspector:

Up arrow / Down arrow	Move the pointer
Ctrl + Shift + =	Zoom To
D	Show the topology rule
F	Select the features
X	Mark the error as an exception Mark as Exception
E	Clear the exception Clear Exception
R	Rules
M	Map Extent
V	Validate
Ctrl + U	Switch selected rows
Ctrl + Shift + A	Clear

Ctrl + 8

Flash (Right-click the error row number and flash the shape of the error feature in the map)

Ctrl + =	Zoom To
Ctrl + Space	Select/Unselect
R	Rule Description

Direction Direction:

A	Open the Direction dialog box
Tab	Step through intersections

Direction Distance:

A	Open the Direction dialog box
D	Open the Distance dialog box
Tab	Step through intersections

Distance Distance:

D	Open the Distance dialog box
Tab	Step through intersections

## Exploratory analysis

Line of sight with observer point selected:

A	Rotate counterclockwise
D	Rotate clockwise
Ctrl + Up arrow	Move the observer away from the scene camera
Ctrl + Down arrow	Move the observer toward the scene camera
Ctrl + Right arrow	Move the observer right, perpendicular to the scene camera heading
Ctrl + Left arrow	Move the observer left, perpendicular to the scene camera heading
Ctrl + Shift + Up arrow	Move the observer and its targets away from the scene camera
Ctrl + Shift + Down arrow	Move the observer and its targets toward the scene camera
Ctrl + Shift + Right arrow	Move the observer and its targets right, perpendicular to the scene camera heading
Ctrl + Shift + Left arrow	Move the observer and its targets left, perpendicular to the scene camera heading
Ctrl + U	Increase the observer elevation

Ctrl + J	Decrease the observer elevation
----------	---------------------------------

C	Turn the Explore tool on and off to navigate
---	--

Del	Delete the observer and all associated targets
-----	--

Line of sight with target selected:

Ctrl + Up arrow	Move the target away from the camera
-----------------	--------------------------------------

Ctrl + Down arrow	Move the target toward the camera
-------------------	-----------------------------------

Ctrl + Right arrow	Move the target right, perpendicular to the scene camera heading
--------------------	--

Ctrl + Left arrow	Move the target left, perpendicular to the scene camera heading
-------------------	---

Ctrl + U	Increase the target elevation
----------	-------------------------------

Ctrl + J	Decrease the target elevation
----------	-------------------------------

C	Turn the Explore tool Explore Tool on and off to navigate
---	---

Del	Delete the selected target
-----	----------------------------

Selected view dome:

Ctrl + Up arrow	Move the view dome away from the camera
-----------------	---

Ctrl + Down arrow	Move the view dome toward the camera
-------------------	--------------------------------------

Ctrl + Right arrow	Move the view dome right, perpendicular to the scene camera heading
--------------------	---

Ctrl + Left arrow	Move the view dome left, perpendicular to the scene camera heading
-------------------	--

Ctrl + U	Increase the view dome elevation
----------	----------------------------------

Ctrl + J	Decrease the view dome elevation
----------	----------------------------------

C	Turn the Explore tool on and off to navigate
---	--

Del	Delete the selected view dome
-----	-------------------------------

Selected viewshed:

W	Tilt the observer up
---	----------------------

S	Tilt the observer down
---	------------------------

A	Rotate the observer heading left
---	----------------------------------

D	Rotate the observer heading
---	-----------------------------

right

Ctrl + Up arrow	Move the observer forward
-----------------	---------------------------

Ctrl + Down arrow	Move the observer backward
-------------------	----------------------------

Ctrl + Right arrow	Move the viewshed right, perpendicular to the observer heading
--------------------	--

Ctrl + Left arrow	Move the viewshed left, perpendicular to the observer heading
-------------------	---

Ctrl + U	Increase the observer elevation
----------	---------------------------------

Ctrl + J	Decrease the observer elevation
----------	---------------------------------

C	Turn the Explore tool on and off to navigate
---	--

Del	Delete the selected viewshed
-----	------------------------------

Selected slice:

W	Rotate the plane heading forward
---	----------------------------------

S	Rotate the plane heading backward
---	-----------------------------------

A	Rotate the plane heading left
---	-------------------------------

D	Rotate the plane heading right
---	--------------------------------

Ctrl + Up arrow	Move the plane forward
-----------------	------------------------

Ctrl + Down arrow	Move the plane backward
-------------------	-------------------------

Ctrl + Right arrow	Move the slice right
--------------------	----------------------

Ctrl + Left arrow	Move the slice left
-------------------	---------------------

Ctrl + U	Increase the plane elevation
----------	------------------------------

Ctrl + J	Decrease the plane elevation
----------	------------------------------

C	Turn the Explore tool on and off to navigate
---	--

Del	Delete the selected slice
-----	---------------------------

## Layouts

Ctrl + A	Select all the elements on the page
----------	-------------------------------------

Ctrl + Backspace	Deselect all the elements on the page
------------------	---------------------------------------

Shift + Up arrow / Down arrow	Continuously select elements. Elements are deselected if you switch arrow keys while pressing Shift
-------------------------------	---

Del	Delete the selected elements
-----	------------------------------

Ctrl + C	Copy the selected elements to the clipboard
----------	---

Ctrl + X	Cut the selected elements
Ctrl + V	Paste the contents of the clipboard to the page
Ctrl + Left click + Move the mouse	Immediately copy the selected elements to the layout without a paste command
Ctrl + G	Group the selected elements
Ctrl + Shift + G	Ungroup the selected group
Space	Switch the visibility of the selected elements
Shift + Arrow keys	Move selected elements 5 points
Ctrl + Arrow keys	Move selected elements .5 points
Arrow keys	Pan in the direction of the arrow key
Insert	Zoom to the full page
-	Zoom out
=	Zoom in
Shift + Right click	Zoom box
C	Override the active tool with the Explore tool
Q	Roam
X	Zoom out incrementally
Z	Zoom continuously
,	Go to the previous extent
.	Go to the next extent
1	Zoom and pan on the layout while a map frame is active

## Map navigation

Regardless of the active tool:

Insert	Zoom to full extent
- or Num -	Zoom out
= or Num +	Zoom in
Ctrl + Alt + S	Activate the Select tool
Ctrl + Alt + C	Activate the Explore tool
C	Override the active tool with the Explore tool
C	Press and hold C to use the Explore tool when you are in the middle of another task using another tool.

Left click + Move the mouse	Left button drag—Pan
Left click	Left button click—Pop-up
Wheel up and wheel down	Wheel button scroll—Zoom
Middle click + Move the mouse	Wheel button click and drag—Tilt and rotate in 3D
Right click + Move the mouse	Right button drag—Continuous zoom in and out
C + Shift or C + Ctrl	(while using another tool) Center and zoom in, or center, respectively.
Alt + Left click	(click layer(s) in Contents pane) Zoom to the layer's extent
Z	Zoom continuously
X + Left click	Zoom out incrementally
X + Left click + Move the mouse	Zoom out by drawing a rectangle
V + Left click + Move the mouse	Rotate around a point
V + Arrow keys	Rotate around the center of the view
O	Orient the view north
B + Left click + Move the mouse	Look around a 3D scene
B + Arrow keys	Look around from the current position
,	Go to the previous extent
.	Go to the next extent
Q	Roam

Press Q while moving the pointer.

In 2D, the view is panned in the direction indicated. The farther the pointer is from the center of the view, the faster panning occurs.

In 3D, the camera's attitude and altitude are maintained as the view is panned in the direction indicated by the pointer, away from the center of the view.

Shift + Q	Decrease the roam speed
Ctrl + Q	Increase the roam speed
Arrow keys	Move the view left, right, up, or down
Shift + Arrow keys	Make smaller movements when moving the view using the arrow



keys

U	Move up, away from the view
J	Move down, closer to the view
Page Up	Jump one screen size up
Page Down	Jump one screen size down
Home	Jump one screen size to the left
End	Jump one screen size to the right

Esc	Cancel map drawing
F5	Refresh the active view
Ctrl + F5	Clear the cache and refresh the active view
Ctrl + F	Open the Locate pane

With the Explore tool activated:

P	In a 3D scene, look straight down (perpendicular)
N	Adjust the view to point north
Shift + Left click + Move the mouse	Zoom in by drawing a rectangle
Shift + Left click	Center and zoom in to the pointer location
Ctrl + Left click	Center the view to look at the pointer location

W	In a 3D scene, tilt the camera up
S	In a 3D scene, tilt the camera down
A	Rotate the camera counterclockwise
D	Rotate the camera clockwise

In first-person navigation mode:

Up arrow / Down arrow	Move the camera forward or backward from the center of the view
Left arrow / Right arrow	Move the camera left or right from the center of the view
U	Increase the elevation of the camera
J	Decrease the elevation of the camera
W	Change the view direction of the scene by tilting the camera up
S	Change the view direction of the scene by tilting the camera down

A	Rotate the view counterclockwise
---	----------------------------------

D	Rotate the view clockwise
---	---------------------------

With selection tools activated:

Y	Switch between the Intersect and Within selection modes
R	Specify a radius when selecting by circle

## ModelBuilder

Clipboard:

Ctrl + C	Copy the selected model elements
Ctrl + V	Paste model elements
Ctrl + X	Cut the selected model elements

Model:

Ctrl + N	Create a new model when model view is active
Ctrl + S	Save the active model
Ctrl + Shift + S	Save the active model with a different name and location
Shift + F	Export model to Python file
Shift + W	Export model to Python window
Shift + G	Export model to graphic
Shift + P	Open model properties
Shift + E	Open model environment setting
Shift + T	Open model in Geoprocessing pane
Shift + R	Open model report
Ctrl + F	Open Find and Replace in model report

View:

Ctrl + Shift + A	Auto layout
Ctrl + Shift + F	Fit to window
Ctrl + +	Zoom in on the model view
Ctrl + -	Zoom out on the model view

Mode:

Ctrl + A	Select all model elements
Shift + Arrow keys	Pan in a model

Validate and Run:

Ctrl + Shift + V	Validate all data elements and
------------------	--------------------------------



	parameter values in a model
Ctrl + Shift + R	Run. If no model element is selected, run all ready-to-run processes in a model. Otherwise, run the selected tools

Insert:

Ctrl + E	Create a variable
Ctrl + L	Create label. If no model element is selected, a free-floating label is created. Otherwise, labels are attached to the selected model elements

Group:

Ctrl + G	Group. If no element is selected, an empty group is added. Otherwise, a group is added containing the selected elements
Ctrl + Shift + G	Ungroup the selected group. Remove all elements from the selected group
Ctrl + Shift + L	Automatically set the layout for the group elements when a group is selected
Ctrl + Right arrow	Expand the selected group in a model
Ctrl + Left arrow	Collapse the selected group in a model
Ctrl + Shift + Right arrow	Expand all groups in a model
Ctrl + Shift + Left arrow	Collapse all groups in a model

Messages:

Shift + O	Open the message window. The messages are only available after the model is run in the current session
-----------	--

Model element:

Ctrl + O	Open the selected model element
Ctrl + R	Rename the selected model element
Ctrl + P	Turn the Parameter setting on and off for the selected model elements
Ctrl + D	Check Add To Display for the

selected model elements

Ctrl + Shift + D	Uncheck Add To Display for the selected model elements
Ctrl + I	Check Intermediate Data for the selected model elements
Ctrl + Shift + I	Uncheck Intermediate Data for the selected model elements

## Neighborhood Explorer

Shift + S	Select a focal feature
Shift + C	Clear the selected focal feature and neighborhood
Shift + =	Zoom to the selected neighborhood
Ctrl + Shift + E	Open the editing toolbar
Ctrl + Shift + N	Open the Neighborhood pane
Shift + R	Remove neighbors from a focal feature neighborhood
Shift + A	Add neighbors to a focal feature neighborhood
Shift + T	Alter spatial weights in a focal feature neighborhood
Shift + Z	Undo a change
Shift + Y	Redo a change
F2	Commit changes to the current focal feature neighborhood and complete the active operation
Ctrl + Del	Deactivate the current interactive editing tool and cancel any unfinished edits

## Python window

Ctrl + Wheel up and wheel down	Increase or decrease the font size
Ctrl + =	Increase the font size
Ctrl + -	Decrease the font size

## Range

Ctrl + Shift + Space	Play or Pause
Ctrl + Shift + Up arrow	Next step
Ctrl + Shift +	Previous step

Down arrow	
------------	--

## Raster and imagery

Stereo map navigation:

Ctrl + Alt + S	Activate the Select tool
----------------	--------------------------

Ctrl + Alt + C	Activate the Explore tool
----------------	---------------------------

Left click and Left click + Move the mouse	Pan the map
--	-------------

Shift	Accelerate change in x,y
-------	--------------------------

Caps Lock	Decelerate change in x,y
-----------	--------------------------

Q	Roam
---	------

+ or Ctrl + Wheel up	Zoom in
----------------------	---------

- or Ctrl + Wheel down	Zoom out
------------------------	----------

Z	(and move pointer) Change the z-value
---	---------------------------------------

Z + Wheel up and wheel down	Change the z-value
-----------------------------	--------------------

Shift + Z	(and move pointer horizontally) Accelerate change in z
-----------	--

Shift + Wheel up and wheel down	Accelerate change in z
---------------------------------	------------------------

Alternatively, to change the z-value 15 times faster, press Shift+Z while moving the pointer either left or right.

Caps Lock + Z	(and move pointer horizontally) Decelerate change in z
---------------	--

Caps Lock + Wheel up and wheel down	Decelerate change in z
-------------------------------------	------------------------

Alternatively, to change the z-value five times slower, press Caps Lock and then press Z while moving the pointer either left or right.

B	Turn surface snapping on or off
---	---------------------------------

This feature requires the images to have statistics calculated and pyramids built with either bilinear or cubic resampling.

T	Turn terrain following on or off
---	----------------------------------

H	Change selected vertex height
---	-------------------------------

F8	Switch between roaming pointer mode and fixed pointer mode
----	--

F9	Hide feature layers on the map
----	--------------------------------

`	Temporarily turn off fixed pointer mode
---	---

This shortcut applies to United States standard keyboards. Other types of keyboards may have a different character on the key. For detailed information, verify which key the VK\_OEM\_3 (Microsoft virtual key code) is mapped to for your keyboard.

Ctrl + Left arrow / Right arrow	Adjust the x-parallax
---------------------------------	-----------------------

V	(and move pointer left or right) Adjust the x-parallax
---	--

Ctrl + Up arrow / Down arrow	Adjust the y-parallax
------------------------------	-----------------------

Ctrl + F7	Reset to the default parallax
-----------	-------------------------------

M	Activate Auto Load
---	--------------------

E	Pan to the center of the stereo pair
---	--------------------------------------

Ctrl + Shift + M	Open the Modify Features pane
------------------	-------------------------------

Ctrl + Shift + C	Open the Create Features pane
------------------	-------------------------------

Ctrl + Shift + S	Open the Stereo Model Selector pane
------------------	-------------------------------------

O	Open the Overview window
---	--------------------------

W	Open the Magnifier window
---	---------------------------

Georeferencing:

C	Override the active tool with the Explore tool
---	--

Q	Roam
---	------

X + Left click + Move the mouse	Zoom out
---------------------------------	----------

Z + Left click + Move the mouse	Zoom the view in or out
---------------------------------	-------------------------

L	Switch the visibility of the georeferencing layer on and off
---	--

H	Switch the visibility of the control point ScreenTip on and off
---	---

A	Specify the value for Move, Scale, or Rotate
---	--

Esc	Cancel a control point while creating a control point pair
-----	--

Space	Temporarily disable vector snapping (if snapping has been turned on)
-------	--

F5 Refresh the control point table

Ortho mapping (GCP Manager):

F5 Refresh the GCP list in GCP Manager

Ctrl + D Turn Dynamic Range Adjustment on and off

Ctrl + G Turn GCP display on and off

Ctrl + F Zoom to full extent

Full Motion Video player:

Shift + E Save video frames as images in a directory or in the project geodatabase

P Export the current video frame and map to a PowerPoint presentation

Note: The system may not respond immediately. Double-clicking the progress indicator or double-pressing the shortcut can cause unexpected results.

Alt + Z Zoom the video pane to the map location of the video

F Enable or disable Automatic Follow

N Display an arrow pointing north on the video of the active video pane

D Display features from the map on the video pane

I Apply invert pixel color transformation on the active video pane

Z Zoom to video

V Display VMTI

Shift + M Metadata to Features

Shift + Ctrl + M Metadata to CSV

Shift + V VMTI to Features

R Record Video

S Export Segment

E Export Frame

C Chip Frame

Ctrl + Space Buffer Playback

M Display Metadata

B Create Bookmark

A Display Annotations

W Window Boxing

Shift + S Record Segments

Ctrl + C Copy Frame to Clipboard

Ctrl + Alt + C Explore Video Tool

Full Motion Metadata:

Alt + Z Zoom to frame

F Enable or disable Automatic Follow

Z Zoom the video pane to the map location of the video

V Display VMTI

Shift + M Metadata to Features

Shift + Ctrl + M Metadata to CSV

Shift + V VMTI to Features

Ctrl + Space Buffer Playback

M Display Metadata

Pixel Editor:

L Turn visibility of the operational layer on and off

F5 Refresh Edits Log

Sharing:

Ctrl + P Open the Print pane

Ctrl + E Open the Export pane

Tables:

Ctrl + T Open the attribute table for the selected layer or stand-alone table from the Contents pane

Ctrl + Double click (doubleclick a layer or table name) Open the attribute table for the selected layer or stand-alone table from the Contents pane

Ctrl + Shift + T Open the attribute table for the selected feature class or stand-alone table from the Catalog pane or view

Ctrl + F4 Close the active table

Ctrl + A Select all records

Shift + Left click (click upper left cell) Select all records

Ctrl + Space Select or deselect the active row

Ctrl + Enter Move to the next record and select it exclusively

If more than one row is selected, the move occurs from the row with the active cell. This is particularly useful when working sequentially through a table, reviewing or editing each record, and looking at the feature it represents on the map

Ctrl + U	Switch the selection
Ctrl + Left click	(click upper left cell) Switch the selection
Shift + Up arrow / Down arrow	Continuously select records
Records are deselected if you switch arrow keys while pressing Shift	
Ctrl + Shift + A	Clear the selection
Shift + Enter	Go to the previous row in the same column and select it
Ctrl + Shift + =	Zoom the view to the selected features
Ctrl + 8	Flash the active feature in the view
Ctrl + N	Pan the view to the active feature and flash it
Ctrl + =	Zoom the view to the active feature and flash it
Double click	(doubleclick the gray cell to the left of a record) Zoom to and select the feature
Ctrl + Double click	(doubleclick the gray cell to the left of a record) Pan to and select the feature
Ctrl + P or Ctrl + I	Open the pop-up for the active feature
Tab	Go to the next column
If at the end of a row, go to the first cell in the next row	
Shift + Tab	Go to the previous column
If at the end of a row, go to the last cell in the previous row	
Enter	Go to the next row in the same column
Home or Ctrl + Left arrow	Go to the first cell in a row
End or Ctrl + Right arrow	Go to the last cell in a row
Ctrl + Home	Go to the first row, first cell
Ctrl + End	Go to the last row, last cell

Arrow keys	Go in the direction of the arrow key
------------	--------------------------------------

Ctrl + Up arrow	Go to the first row in the same column
Ctrl + Down arrow	Go to the last row in the same column
Ctrl + Wheel up and wheel down	Increase or decrease the scale of the table
Ctrl + G	Open the Go to row number control
Ctrl + 0	Reset the scale of the table back to 100 percent
Shift + Wheel up and wheel down	Scroll the table window horizontally
Ctrl + F	Display the Find and Replace commands
Ctrl + Shift + U	Remove field sorting
Ctrl + Shift + S	Open the Custom Sort dialog box
Ctrl + Double click	Hide the field
This action works on a single field only. To hide multiple field columns in a table at once, press the Shift key while clicking to select multiple fields. Then, right-click a field name and click Hide Field	
To show all fields again without opening the field's view, click the menu button at the top of the table view and click Show All Fields. Any hidden fields turn back on and become available in the table view and on other dialog boxes	
Ctrl + Left click	Select individual, separate fields
Shift + Left click	Select all fields between the first and second click
Ctrl + Shift + N	Switch between showing field names and aliases
Editing tables:	
Ctrl + C or Ctrl + Insert	Copy the value in a cell onto the clipboard
Ctrl + Shift + C	Copy the selected records onto the clipboard
Ctrl + V or Shift + Insert	Paste the contents of the clipboard into a cell or range of cells
F2	Edit the contents of a cell
Enter	Commit the current edit

Esc	Cancel the edit in the cell and restore the original value
Shift + Enter	Insert a new line or multiple lines while editing
Ctrl + Enter	Open a hyperlink

## Tasks

Alt + X	Run a step
Alt + C	Continue to the next step
Alt + S	Skip a step

## Time

Ctrl + Space	Play or Pause
Ctrl + Shift + Right arrow	Step Forward
Ctrl + Shift + Left arrow	Step Back

Source: ArcGIS Pro documentation

*Last modification: 25/01/2024 15:13:03*

More information: [defkey.com/ga/arcgis-pro-3-shortcuts](https://defkey.com/ga/arcgis-pro-3-shortcuts)

[Customize this PDF...](#)