



# Xcode cheat sheet

## Xcode menu

Cmd + ,	Preferences...
Cmd + H	Hide Xcode
Option + Cmd + H	Hide Others
Cmd + Q	Quit Xcode

## File menu

Cmd + T	New Tab
Shift + Cmd + T	New Window
Cmd + N	New File...
Shift + Cmd + N	New Project...
Control + Cmd + N	New Workspace
Option + Cmd + N	New Group
Option + Cmd + A	Add Files...
Cmd + O	Open...
Shift + Cmd + O	Open Quickly...
Cmd + W	Close Window
Option + Cmd + W	Close All Windows
Shift + Cmd + W	Close Tab
Option + Shift + Cmd + W	Close Other Tabs
Control + Cmd + W	Close Document
Cmd + S	Save
Option + Cmd + S	Save All
Option + Shift + Cmd + S	Save Multiple...
Shift + Cmd + S	Save As...
Option + Cmd + C	Commit...
Option + Cmd + X	Update...
Control + Option + Cmd + X	Update All
Control + Cmd + S	Create Snapshot...
Shift + Cmd + P	Page Setup...
Cmd + P	Print...

## Edit menu

Cmd + Z	Undo
Shift + Cmd + Z	Redo

Cmd + X	Cut
Cmd + C	Copy
Cmd + V	Paste
Option + Cmd + V	Paste Special
Option + Shift + Cmd + V	Paste and Match Style
Cmd + D	Duplicate
Cmd + A	Select All
Shift + Cmd + F	Find in Workspace...
Option + Shift + Cmd + F	Find and Replace in Workspace...
Cmd + F	Find...
Option + Cmd + F	Find and Replace...
Cmd + G	Find Next
Shift + Cmd + G	Find Previous
Cmd + E	Use Selection for Find
Shift + Cmd + E	Use Selection for Replace
Option + Cmd + J	Filter in Navigator
Option + Cmd + L	Filter in Library
Control + Shift + Cmd + T	Show Fonts
Cmd + :	Show Spelling and Grammar

## View menu

Cmd + 1	Project
Cmd + 2	Symbol
Cmd + 3	Search
Cmd + 4	Issue
Cmd + 5	Debug
Cmd + 6	Breakpoint
Cmd + 7	Log
Cmd + 0	Show Navigator
Cmd + Enter	Standard
Option + Cmd + Enter	Assistant
Option + Shift + Cmd + Enter	Version
Control + 1	Show Related Items
Control + 2	Show Previous History
Control + Cmd + 2	Show Previous Files History

Control + 3	Show Next History
Control + Cmd + 3	Show Next Files History
Control + 4	Show Top Level Items
Control + 5	Show Group Files
Control + 6	Show Document Items
Control + 7	Show Issues
Control + Shift + Cmd + W	Remove Assistant Editor
Option + Shift + Cmd + Z	Reset Editor
Shift + Cmd + Y	Show Debug area

## Navigate menu

Cmd + L	Reveal in Project Navigator
Cmd + <	Open in Adjacent Editor
Control + Cmd + Right arrow	Go Forward
Control + Option + Cmd + Right arrow	Go Forward in Alternate Editor
Control + Cmd + Left arrow	Go Back
Control + Option + Cmd + Left arrow	Go Back in Alternate Editor
Cmd + J	Jump to Selection
Shift + Cmd + D	Jump to Definition
Option + Cmd + K	Move Focus To Next Area
Option + Shift + Cmd + K	Move Focus To Previous Area

## Navigate menu - Source editor

Control + Cmd + Up arrow	Jump to Counterpart
Shift + Cmd + J	Jump To...
Control + /	Jump to Next Placeholder
Control + ?	Jump to Previous Placeholder
Cmd + '	Jump to Next Issue
Control + Cmd + '	Jump and Fix Next Issue
Cmd + "	Jump to Previous Issue
Control + Cmd + "	Jump and Fix Previous Issue

## Editor menu - Data model

Control + Cmd + A	Add Attribute
Control + Cmd + R	Add Relationship

## Editor menu - Interface Builder

Cmd + [	Align Left Edges
Cmd + ]	Align Right Edges
Cmd + =	Size to Fit
Cmd + _	Add Horizontal Guide
Cmd +	Add Vertical Guide

## Editor menu - PDF

Option + Cmd + Down arrow	Next Page
Option + Cmd + Up arrow	Previous Page

## Editor menu - Scripting definition

Cmd + +	Make Text Bigger
Cmd + -	Make Text Smaller

## Editor menu - Source code

Control + \	Show Completions
Control + Cmd + E	Edit All in Scope
Control + Cmd + F	Fix All in Scope
Control + Cmd + M	Show All Issues
Cmd + ]	Shift Right
Cmd + [	Shift Left
Option + Cmd + [	Move Line Up
Option + Cmd + ]	Move Line Down
Cmd + /	Comment Selection
Option + Cmd + Left arrow	Fold
Option + Cmd + Right arrow	Unfold
Option + Shift + Cmd + Left arrow	Fold Methods & Functions
Option + Shift + Cmd + Right	Unfold Methods & Functions

arrow	
Control + Shift + Cmd + Left arrow	Fold Comment Blocks
Control + Shift + Cmd + Right arrow	Unfold Comment Blocks

## Editor menu - Hex editor

Option + Shift + Cmd + O	Overwrite Mode
-----------------------------	----------------

## Product menu

(1) Opens the scheme editing dialog for editing prior to performing the chosen command.

Cmd + R	Run
Option + Cmd + R	Run... (1)
Cmd + T	Test
Option + Cmd + T	Test... (1)
Cmd + I	Profile
Option + Cmd + I	Profile... (1)
Control + Cmd + B	Analyze
Control + Option + Cmd + B	Analyze...(1)
Shift + Cmd + R	Build For Running
Shift + Cmd + U	Build For Testing
Shift + Cmd + I	Build for Profiling
Control + Cmd + R	Run Without Building
Control + Cmd + U	Test Without Building
Control + Cmd + I	Profile Without Building
Cmd + B	Build
Shift + Cmd + K	Clean
Option + Shift + Cmd + K	Clean Build Folder...
Cmd + .	Stop
Control + Cmd + Y	Pause
F7	Step Into
F6	Step Over
F8	Step Out
Control + Shift + F7	Step Into Thread
Control + Cmd +	Step Into Instruction

F7	
Control + Shift + F6	Step Over Thread
Control + F6	Step Over Instruction
Cmd + \	Add Breakpoint at Current Line
Cmd + Y	Activate Breakpoints
Cmd + K	Clear Console
Cmd + <	Edit Scheme...

## Window menu

Cmd + M	Minimize
Cmd + }	Select Next Tab
Cmd + {	Select Previous Tab
Shift + Cmd + 1	Welcome to Xcode
Shift + Cmd + 2	Organizer

## Help menu

Control + Cmd + ?	Quick Help
Control + Option + Cmd + /	Search Documentation for Selected Text
Option + Cmd + ?	Developer Documentation

## Other system and application shortcuts

Cmd + Space	Show or hide the Spotlight search field (when multiple languages are installed, may rotate through enabled script systems)
Shift + Cmd + Space	Apple reserved
Option + Cmd + Space	Show the Spotlight search results window (when multiple languages are installed, may rotate through keyboard layouts and input methods within a script)
Control + Cmd + Space	Apple reserved
Shift + Tab	Navigate through controls in a reverse direction
Cmd + Tab	Move forward to the next most

recently used application in a list of open applications

Shift + Cmd + Tab	Move backward through a list of open applications (sorted by recent use)
Control + Tab	Move focus to the next grouping of controls in a dialog or the next table (when Tab moves to the next cell)
Shift + Control + Tab	Move focus to the previous grouping of controls
Cmd + Esc	Open Front Row
Option + Cmd + Esc	Open the Force Quit dialog
Control + Cmd + Eject	Quit all applications (after giving the user a chance to save changes to open documents) and restart the computer
Control + Option + Cmd + Eject	Quit all applications (after giving the user a chance to save changes to open documents) and shut the computer down
Control + F1	Toggle full keyboard access on or off
Control + F2	Move focus to the menu bar
Control + F3	Move focus to the Dock
Control + F4	Move focus to the active (or next) window
Shift + Control + F4	Move focus to the previously active window
Control + F5	Move focus to the toolbar
Cmd + F5	Turn VoiceOver on or off
Control + F6	Move focus to the first (or next) panel
Shift + Control + F6	Move focus to the previous panel
Control + F7	Temporarily override the current keyboard access mode in windows and dialogs
Cmd + `	Activate the next open window in the frontmost application
Shift + Cmd + `	Activate the previous open window in the frontmost application
Option + Cmd + `	Move focus to the window

drawer

Cmd + -	Decrease the size of the selected item (equivalent to the Smaller command)
Option + Cmd + -	Zoom out when screen zooming is on
Cmd + {	Left-align a selection (equivalent to the Align Left command)
Cmd + }	Right-align a selection (equivalent to the Align Right command)
Cmd +	Center-align a selection (equivalent to the Align Center command)
Cmd + :	Display the Spelling window (equivalent to the Spelling command)
Cmd + ;	Find misspelled words in the document (equivalent to the Check Spelling command)
Cmd + ,	Open the application's preferences window (equivalent to the Preferences command)
Option + Control + Cmd + ,	Decrease screen contrast
Option + Control + Cmd + .	Increase screen contrast
Cmd + ?	Open the application's help in Help Viewer
Option + Cmd + /	Turn font smoothing on or off
Shift + Cmd + =	Increase the size of the selected item (equivalent to the Bigger command)
Option + Cmd + =	Zoom in when screen zooming is on
Shift + Cmd + 3	Capture the screen to a file
Shift + Control + Cmd + 3	Capture the screen to the Clipboard
Shift + Cmd + 4	Capture a selection to a file
Shift + Control + Cmd + 4	Capture a selection to the Clipboard
Option + Cmd + 8	Turn screen zooming on or off
Option + Control + Cmd + 8	Invert the screen colors
Cmd + A	Highlight every item in a

	document or window, or all characters in a text field (equivalent to the Select All command)
Cmd + B	Boldface the selected text or toggle boldfaced text on and off (equivalent to the Bold command)
Cmd + C	Duplicate the selected data and store on the Clipboard (equivalent to the Copy command)
Shift + Cmd + C	Display the Colors window (equivalent to the Show Colors command)
Option + Cmd + C	Copy the style of the selected text (equivalent to the Copy Style command)
Control + Cmd + C	Copy the formatting settings of the selected item and store on the Clipboard (equivalent to the Copy Ruler command)
Option + Cmd + D	Show or hide the Dock
Cmd + Control + D	Display the definition of the selected word in the Dictionary application
Cmd + E	Use the selection for a find operation
Cmd + F	Open a Find window (equivalent to the Find command)
Option + Cmd + F	Jump to the search field control
Cmd + G	Find the next occurrence of the selection (equivalent to the Find Next command)
Shift + Cmd + G	Find the previous occurrence of the selection (equivalent to the Find Previous command)
Cmd + H	Hide the windows of the currently running application (equivalent to the Hide ApplicationName command)
Option + Cmd + H	Hide the windows of all other running applications (equivalent to the Hide Others command)
Cmd + I	Italicize the selected text or toggle italic text on or off (equivalent to the Italic

	command)
Cmd + I	Display an Info window
Option + Cmd + I	Display an inspector window
Cmd + J	Scroll to a selection
Cmd + M	Minimize the active window to the Dock (equivalent to the Minimize command)
Option + Cmd + M	Minimize all windows of the active application to the Dock (equivalent to the Minimize All command)
Cmd + N	Open a new document (equivalent to the New command)
Cmd + O	Display a dialog for choosing a document to open (equivalent to the Open command)
Cmd + P	Display the Print dialog (equivalent to the Print command)
Shift + Cmd + P	Display a dialog for specifying printing parameters (equivalent to the Page Setup command)
Cmd + Q	Quit the application (equivalent to the Quit command)
Shift + Cmd + Q	Log out the current user (equivalent to the Log Out command)
Shift + Option + Cmd + Q	Log out the current user without confirmation
Cmd + S	Save the active document (equivalent to the Save command)
Shift + Cmd + S	Display the Save dialog (equivalent to the Save As command)
Cmd + T	Display the Fonts window (equivalent to the Show Fonts command)
Option + Cmd + T	Show or hide a toolbar (equivalent to the Show/Hide Toolbar command)
Cmd + U	Underline the selected text or turn underlining on or off (equivalent to the Underline command)

Cmd + V	Insert the Clipboard contents at the insertion point (equivalent to the Paste command)
Option + Cmd + V	Apply the style of one object to the selected object (equivalent to the Paste Style command)
Option + Cmd + Cmd + V	Apply the style of the surrounding text to the inserted object (equivalent to the Paste and Match Style command)
Control + Cmd + V	Apply formatting settings to the selected object (equivalent to the Paste Ruler command)
Cmd + W	Close the active window (equivalent to the Close command)
Shift + Cmd + W	Close a file and its associated windows (equivalent to the Close File command)
Option + Cmd + W	Close all windows in the application (equivalent to the Close All command)
Cmd + X	Remove the selection and store on the Clipboard (equivalent to the Cut command)
Cmd + Z	Reverse the effect of the user's previous operation (equivalent to the Undo command)
Shift + Cmd + Z	Reverse the effect of the last Undo command (equivalent to the Redo command)
Cmd + Right arrow	Change the keyboard layout to current layout of Roman script
Shift + Cmd + Right arrow	Extend selection to the next semantic unit, typically the end of the current line
Shift + Right arrow	Extend selection one character to the right
Shift + Option + Right arrow	Extend selection to the end of the current word, then to the end of the next word
Control + Right arrow	Move focus to another value or cell within a view, such as a table
Cmd + Left arrow	Change the keyboard layout to current layout of system script

Shift + Cmd + Left arrow	Extend selection to the previous semantic unit, typically the beginning of the current line
Shift + Left arrow	Extend selection one character to the left
Shift + Option + Left arrow	Extend selection to the beginning of the current word, then to the beginning of the previous word
Control + Left arrow	Move focus to another value or cell within a view, such as a table
Shift + Cmd + Up arrow	Extend selection upward in the next semantic unit, typically the beginning of the document
Shift + Up arrow	Extend selection to the line above, to the nearest character boundary at the same horizontal location
Shift + Option + Up arrow	Extend selection to the beginning of the current paragraph, then to the beginning of the next paragraph
Control + Up arrow	Move focus to another value or cell within a view, such as a table
Shift + Cmd + Down arrow	Extend selection downward in the next semantic unit, typically the end of the document
Shift + Down arrow	Extend selection to the line below, to the nearest character boundary at the same horizontal location
Shift + Option + Down arrow	Extend selection to the end of the current paragraph, then to the end of the next paragraph (include the paragraph terminator, such as Return, in cut, copy, and paste operations)
Control + Down arrow	Move focus to another value or cell within a view, such as a table

For more information about Xcode keyboard shortcuts, refer to Apple documentation.

*Last modification: AP 1399/10/27 9:02:42*

*More information: [defkey.com/ps/apple-xcode-](https://defkey.com/ps/apple-xcode-)*

[shortcuts](#)

[Customize this PDF...](#)